

Work Order ID 112886

June-04-14 11:25:26 AM

\*112886\*

Page 1

Item ID: D350-689-023

Accept

\*N900040100\*

Setup Start \*NS1\*

Revision ID:

Stop \*NS2\*

Item Name: Floor Provisions - Energy Attenuating Seat Compatible

Start Date: 2/10/14 Start Qty: 1.00 \*1\*

Cust Item ID:

Required Date: 2/10/14 Req'd Qty: 1.00 \*1\*

Customer:

Reference:

Approvals: Process Plan: W Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_  
QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Run Start \*NR1\*  
Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
DSI 9588	B
IIN-D350-689	B

100	DOCUMENT CONTROL	0.00							
-----	------------------	------	--	--	--	--	--	--	--

\*100\*

DC Memo Photocopy bluefile and create labels per PPP D350-689-023 CHG004

DAS  
06  
9-89

JUN 03 2014

JUN 03 2014

110	Pick Kit	0.00							
-----	----------	------	--	--	--	--	--	--	--

\*110\*

Packaging Memo Packaging

DAS  
28  
9-89

JUN 04 2014

DAS  
31  
9-89

# Work Order ID 112886

**\*112886\***

Page 2

June-04-14 11:25:26 AM

Item ID: D350-689-023

Accept

**\*N900040100\***

Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Floor Provisions - Energy Attenuating Seat Compatible

Start Date: 2/10/14 Start Qty: 1.00 **\*1\***

Cust Item ID:

Required Date: 2/10/14 Req'd Qty: 1.00 **\*1\***

Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start **\*NR1\***

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC4- 100% Inspect kits for completeness	0.00			DAS 06 9-89				
<b>*120*</b>									
QC	Memo	0.00							
Quality Control									
130		0.00							
<b>*130*</b>	Packaging								
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D350-689-023								
	Location: _____								
	PPP Rev: _____								
140	QC21- Final Inspection - Work Order Release	0.00							
<b>*140*</b>									
QC	Memo	0.00							
Quality Control									

JUN 03 2014

JUN 03 2014

DAS  
06  
9-89

MLJ 14-06-04

MF  
14-6-4

# Picklist Print

June-04-14 11:25:25 AM

Page 1

Work Order ID: 112886

**\*112886\***

Parent Item: D350-689-023

**\*D350-689-023\***

Parent Item Name: Floor Provisions - Energy Attenuating Seat Compatible

Start Date: 2/10/14

Required Date: 2/10/14

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A 08-12-23 new issue DD verified by:EC  
 revise route seq DD 10.02.12 vrified byJLM  
 11.09.28 verified by:JLM  
 CHG004 (ecn12-501) DD VERF:EC  
 IPP Rev:B  
 IPP Rev:C chg003 DD  
 IPP Rev:D 12.01.12 now @

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4575-1 <b>*D4575-1*</b> Beam		Manufactured	No			110	Each	3.0000	1	1		DAS 28 9-89	JUN 04 2014
					<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>			
					ST176			3					
					115171			3					
D4575-3 <b>*D4575-3*</b> Doubler		Manufactured	No			110	Each	6.0000	1	1		DAS 28 9-89	
					<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>			
					ST176			6					
					102798			5					
					107967			1					
D3027-7 <b>*D3027-7*</b> Clip		Manufactured	No			110	Each	35.0000	4	4		DAS 28 9-89	
					<u>Location</u>			<u>Loc Qty</u>		<u>Loc Code</u>			
					ST023			35					
					112423			12					
					113141			23					

# Picklist Print

June-04-14 11:25:26 AM

Page 3

Work Order ID: 112886

**\*112886\***

Parent Item: D350-689-023

**\*D350-689-023\***

Parent Item Name: Floor Provisions - Energy Attenuating Seat Compatible

Start Date: 2/10/14

Required Date: 2/10/14

Start Qty: 1.00

Required Qty: 1.00

NAS1149D0363J

Purchased

No

110

Each

3,741.000

9

**\*NAS1149D0363J\***

Washer

**\*\***

DAS  
28  
9-89

JUN 04 2014

DAS  
06  
9-89

Location

Loc Qty

Loc Code

GA

23

124392

23

ST510a

3718

109061

9

m126319

6

m128429

3703

9x

DAS  
31  
9-89

June-04-14 11:25:26 AM

Shop Packet Print

Page 3

JUN 04 2014

DAS  
06  
9-89**REFERENCE ONLY****4. WEIGHT AND BALANCE**

The following weight and balance information is for the Dart Dual High Back Seat Installation. The weight and balance of the parts that are removed from the aircraft to perform this installation are the responsibility of the installer.

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D350-689-011 Dual High Back Seat Installation, Fwd Position	27.6 lb 12.5 kg	-18.2 in -0.46 m	-502 in-lb -5.8 m-kG	60.7 in 1.54 m	1675 in-lb 19.3 m-kG
D350-689-013 Floor Provisions Kit, Fwd Position	2.0 lb 0.9 kg	-18.2 in -0.46 m	-36 in-lb -0.4 m-kG	60.7 in 1.54 m	121 in-lb 1.4 m-kG
D350-689-011 Dual High Back Seat Installation, Aft Position	28.1 lb 12.7 kg	-18.2 in -0.46 m	-511 in-lb -5.8 m-kG	63.7 in 1.62 m	1790 in-lb 20.57 m-kG
D350-689-013 Floor Provisions Kit, Aft Position	3.1 lb 1.4 kg	-18.2 in -0.46 m	-56 in-lb -0.6 m-kG	62.2 in 1.58 m	193 in-lb 2.2 m-kG
D350-689-015 Seat Modification Kit	1.0 lb 0.5 kg	-17.2 in -0.44 m	-17 in-lb -0.22 m-kG	60.7 in 1.54 m	61 in-lb 0.77 m-kG
D350-689-017 Shoulder Harness, Fwd Position	4.4 lb 2.00 kg	-18.2 in -0.46 m	-80.1 in-lb -0.92 m-kG	60.7 in 1.54 m	267 in-lb 3.08 m-kG
D350-689-017 Shoulder Harness, Aft Position	4.4 lb 2.00 kg	-18.2 in -0.46 m	-80.1 in-lb -0.92 m-kG	64.7 in 1.64 m	285 in-lb 3.28 m-kG
D350-689-019 Control Guard, Fwd Position	0.5 lb 0.23 kg	-9.0 in -0.23 m	-4.5 in-lb -0.05 m-kG	60.7 in 1.54 m	30 in-lb 0.35 m-kG
D350-689-019 Control Guard, Aft Position	0.5 lb 0.23 kg	-9.0 in -0.23 m	-4.5 in-lb -0.05 m-kG	64.7 in 1.64 m	32 in-lb 0.38 m-kG
D350-689-021 Dual High Seat Back Installation, LH Fwd Position	29.2 lb 13.2 kg	-18.2 in -0.46 m	-531 in-lb -6.1 m-kG	60.7 in 1.54 m	1772 in-lb 20.3 m-kG
D350-689-021 Dual High Seat Back Installation, LH Aft Position	29.2 lb 13.2 kg	-18.2 in -0.46 m	-531 in-lb -6.1 m-kG	64.7 in 1.64 m	1889 in-lb 21.6 m-kG
D350-689-023 Energy Attenuating Floor Provisions Kit	2.5 lb 1.1 kg	-18.2 in -0.46 m	-46 in-lb -0.5 m-kG	62.2 in 1.58 m	156 in-lb 1.7 m-kG

**5. PARTS LIST**

Qty -011	Qty -013	Qty -015	Qty -017	Qty -019	Qty -021	Qty -023	Qty -041	Qty -043	Part Number	Description
X									D350-689-011	DUAL HIGH BACK SEAT INSTALLATION, LH
1	X								D350-689-013	FLOOR PROVISIONS KIT
		X							D350-689-015	SEAT MODIFICATION KIT
			X						D350-689-017	SHOULDER HARNESS KIT
				X					D350-689-019	CONTROL GUARD KIT
					X				D350-689-021	DUAL HIGH BACK SEAT INSTALLATION, LH
						X			D350-689-023	ENERGY ATTENUATING FLOOR PROVISIONS KIT
1							X		D350-689-041	DUAL HIGH BACK SEAT ASSEMBLY
								X	D350-689-043	DUAL HIGH BACK SEAT ASSEMBLY
							2	2	D3016-041	SEAT FRAME ASSEMBLY
							1	1	D3017-041	BACK FRAME ASSEMBLY
1									D3018-1	SEAT CUSHION
1					1				D3019-1	BACK CUSHION
							1	1	D3021-041	TUBE ASSEMBLY
							1	1	D3022-1	SEAT PAN
							1	1	D3023-1	BACK PANEL
							3	3	D3024-1	SPACER
	1								D3025-1	BEAM

• COPYRIGHT © 2011 BY DART AEROSPACE LTD. •  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: **B**  
Date: 11.07.22

REFERENCE ONLY

#### 4.0 PARTS LIST CHANGE

The parts list of D350-689-021/-023 at CHG 005/004 or later is amended as follows:

JUN 04 2014

06  
9-89

5. PARTS LIST (IIN-D350-689)  
25.10 PARTS LIST (ICA-D350-689)

IS:

Qty -011	Qty -013	Qty -015	Qty -017	Qty -019	Qty -021	Qty -023	Qty -041	Qty -043	Part Number	Description
X									D350-689-011	DUAL HIGH BACK SEAT INSTALLATION, LH
1	X								D350-689-013	FLOOR PROVISIONS KIT
		X							D350-689-015	SEAT MODIFICATION KIT
			X						D350-689-017	SHOULDER HARNESS KIT
				X					D350-689-019	CONTROL GUARD KIT
					X				D350-689-021	DUAL HIGH BACK SEAT INSTALLATION, LH
					1	X			D350-689-023	ENERGY ATTENUATING FLOOR PROVISIONS KIT
1							X		D350-689-041	DUAL HIGH BACK SEAT ASSEMBLY
					1			X	D350-689-043	DUAL HIGH BACK SEAT ASSEMBLY
									D3026-1	CHANNEL (REMOVED)
									D3234-3	DOUBLER (REMOVED)
	1					1			D4575-1	BEAM (REPLACES D3026-1)
	1					1			D4575-3	DOUBLER (NEW)

WAS:

Qty -011	Qty -013	Qty -015	Qty -017	Qty -019	Qty -021	Qty -023	Qty -041	Qty -043	Part Number	Description
X									D350-689-011	DUAL HIGH BACK SEAT INSTALLATION, LH
1	X								D350-689-013	FLOOR PROVISIONS KIT
		X							D350-689-015	SEAT MODIFICATION KIT
			X						D350-689-017	SHOULDER HARNESS KIT
				X					D350-689-019	CONTROL GUARD KIT
					X				D350-689-021	DUAL HIGH BACK SEAT INSTALLATION, LH
					1	X			D350-689-023	ENERGY ATTENUATING FLOOR PROVISIONS KIT
1							X		D350-689-041	DUAL HIGH BACK SEAT ASSEMBLY
					1			X	D350-689-043	DUAL HIGH BACK SEAT ASSEMBLY
	1					1			D3026-1	CHANNEL
	1					1			D3234-3	DOUBLER

CANADA  
DEPARTMENT OF TRANSPORT  
AIRCRAFT CERTIFICATION  
BRANCH  
DAO # 01-O-01

APPROVED  
BY: *D. Shepherd*  
D. SHEPHERD (DE # 02)

DATE: 12.11.09  
CERT. NO.: SH02-33  
ISSUE NO.: 1

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.	N/A	DSI 9588	SHEET 6 OF 6
APPROVED		TITLE	SCALE
DE APPR.		<b>INSTALLATION CHANGE</b>	
DATE	12.11.09	NTS	
<small>COPYRIGHT © 2011 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>			

DART AEROSPACE LTD.

11/07/2011

REFERENCE ONLY

DAS  
06  
0-09

IIN-D350-689

Page 25 of 25

Qty -011	Qty -013	Qty -015	Qty -017	Qty -019	Qty -021	Qty -023	Qty -041	Qty -043	Part Number	Description
	1					1			D3026-1	CHANNEL
	1								D3027-1	CLIP
	1								D3027-3	CLIP
	1								D3027-5	CLIP
	4					4			D3027-7	CLIP
							4		D3028-1	STUD
		2					2		D3029-1	SPRING
		2					2		D3030-1	LOCK
							2	2	D3031-1	LOOP
	1								D3032-1	SPACER
	2	1							D3033-1	SEAT TRACK
		4							D3059-1	STUD
		4							D3060-1	BUSHING
		4							D3061-1	RADIUS BLOCK
				1					D3084-3	STRUT
	1								D3234-1	DOUBLER
	1					1			D3234-3	DOUBLER
	2								D3234-5	SPACER
								2	D3808-041	SEAT RAIL ASSEMBLY
								4	D3809-1	SLIDING BLOCK
									D3811-041	SEAT TRACK ASSEMBLY
			2						D4071-041	SHOULDER HARDNESS ASSY
							3	3	AN3-12A	BOLT
				1					AN4-12A	BOLT
				1					AN4-20A	BOLT
			2						AN5-4A	BOLT
							40	40	MS20600AD4W2	RIVET
							6	6	MS20600AD4W3	RIVET
							17	17	MS21042L3	NUT (OR MS21042-3)
				2			6	6	MS21042L4	NUT (OR MS21042-4)
		4	2						MS21042L5	NUT (OR MS21042-5)
12	4								MS21059L3	NUTPLATE
							4	4	MS24693-S272	SCREW
2	1								MS24693-S273	SCREW
								8	MS24694-S3	SCREW
									MS24694-S50	SCREW
							4		MS24694-S148	SCREW
6	3								MS27039-1-10	SCREW
							4	4	MS27039-1-17	SCREW
							6	6	MS27039-1-19	SCREW
							6	6	MS27039-4-21	SCREW
6	3						17	17	NAS1149D0332J	WASHER (OR AN960JD10L)
									NAS1149D0363J	WASHER (OR AN960JD10)
				8					NAS1149D0416J	WASHER (OR AN960JD416L)
							6	6	NAS1149D0432J	WASHER (OR AN960JD416)
			4						NAS1149D0516J	WASHER (OR AN960JD516L)
		4							NAS1149D0563J	WASHER (OR AN960JD516)
				2					NAS43DD4-46N	SPACER

• COPYRIGHT © 2011 BY DART AEROSPACE LTD •  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: B  
Date: 11.07.22